































- The larger the data, the better the result, especially in the field of medical research.
- The variable of marital status affects the likelihood of survival of patients, as well as treatment methods.

### Recommendations

Through the research, we recommend using the Kaplan- Meier method to know the effect of different methods of treatment on the survival time of the dependent variable.

As for knowing the variables that affect the regression line equation, the Cox method is considered one of the best methods for predicting the estimated equation and knowing the independent variables that affect the survival time

### References

- [1] Collett, D. (2015). Modeling survival data in medical research. CRC press.
- [2] Abd ElHafeez, S., Torino, C., D'Arrigo, G., Bolignano, D., Provenzano, F., Mattace-Raso, F., & Tripepi, G. (2012). An overview on standard statistical methods for assessing exposure-outcome link in survival analysis (Part II): the Kaplan-Meier analysis and the Cox regression method. *Aging clinical and experimental research*, 24(3), 203-206.
- [3] Murtada Farhan Huwai,2017, Using Cox Regression Model (COX) and The Kaplan-Meier Method to Study Survival Data
- [4] Collett, D. (2015). Modeling survival data in medical research. CRC press
- [5] Sen, P. K. (1995). Censoring in theory and practice: Statistical perspectives and controversies. *Lecture Notes-Monograph Series*, 177-192.
- [6] Lin, D. Y. (1994). Cox regression analysis of multivariate failure time data: the marginal approach. *Statistics in medicine*, 13(21), 2233-2247.
- [7] Statistical Software | Sample Size Software | NCSS, COX regression
- [8] Vivekanandan, T., & Narayanan, S. J. (2019). A Hybrid Risk Assessment Model for Cardiovascular Disease Using Cox Regression Analysis and a 2-means clustering algorithm. *Computers in biology and medicine*, 113, 103400.
- [9] (PDF) Finding the Least Possible Hazards in Cox Regression Model (researchgate.net)
- [10] Cox, D. R , "Partial likelihood" , *Biometrika* , Vol-62 ,No-3, P(269- 276) , 1975.
- [11] Mantel, N. (1966). Evaluation of survival data and two new rank order statistics arising in its consideration. *Cancer Chemother Rep*, 50(3), 163-170.
- [12] Bian, H. (2015). Survival analysis using SPSS. East Carolina University.